

1 **Listing of the Claims**

2 **In the Claims:**

3 No Claims are Currently Amended.

4 1. (Previously Presented) A method for inserting an image into a document stored in a
5 memory of a computer, comprising the steps of:

6 (a) making an image source device active with an application program used to
7 create a text content of said document, wherein the image source device is in communication with the
8 computer and the computer is executing the application program;

9 (b) acquiring an image using the image source device that is active and under
10 control of the application program; and

11 (c) communicating data representing said image from the image source device into
12 the memory of the computer so that the data representing said image comprises a portion of the
13 document stored in the memory of the computer, all without saving said data to any permanent file
14 prior to communicating the data into the document stored within the memory of the computer.

15 2. (Original) The method of claim 1, further comprising the steps of:

16 (a) creating a list of all image source devices in communication with the
17 computer; and

18 (b) enabling a user to select the image source device that is active from the list.

19 3. (Original) The method of claim 1, wherein the active image source device comprises one
20 of a scanner and a digital camera.

21 4. (Original) The method of claim 1, wherein the step of acquiring the image comprises the
22 step of scanning a graphic source that has defined edges, further comprising the steps of
23 automatically detecting the edges of the graphic source, and cropping the image at the edges of the
24 graphic source to exclude any portion of a scanned field beyond the edges of the graphic source from
25 the image represented by the data inserted into the document.

26 5. (Original) The method of claim 1, further comprising the step of converting the data
27 representing the image into a compressed format prior to inserting the data into the document.

28 6. (Previously Presented) The method of claim 1, further including the steps of:

29 (a) selecting at least one image enhancement criterion from within the application
30 program; and

1 (b) enhancing said captured image based on said image enhancement criterion,
2 prior to inserting said data representing the image into said document.

3 7. (Original) The method of claim 6, wherein the image enhancement criterion is a contrast
4 level of the image that is adjusted to enhance a brightness of the image within the document.

5 8. (Original) The method of claim 6, wherein the image enhancement criterion is a color
6 level of the image that is adjusted to enhance a color relationship of the image inserted within the
7 document, based on a gamma correction algorithm.

8 9. (Original) The method of claim 1, further comprising the step of the application program
9 negotiating with the image source device that is active to determine a set of image capture parameters
10 that control said image source device when acquiring the image.

11 10. (Original) The method of claim 9, further comprising the step of determining a set of
12 capabilities of the image source device that is active, wherein the set of image capture parameters are
13 negotiated based in part on the capabilities of said image source device.

14 11. (Original) The method of claim 10, wherein a set of capabilities are associated with the
15 image source devices connected with the computer and are stored in an operating system registry.

16 12. (Previously Presented) The method of claim 1, further comprising the step of
17 determining from within the application program whether the image source device that is active is
18 able to perform an automatic image scan, wherein the automatic image scan comprises the steps of
19 capturing an image of a graphic source with said image source device and inserting the data
20 representing the image into the document, all without requiring a user to select image capture
21 parameters.

22 13. (Original) The method of claim 12, wherein the image source device that is active has an
23 X resolution and a Y resolution and includes a driver that provides a user interface for selecting
24 image capture parameters, the step of determining if said image source device can perform the
25 automatic image scan comprises the steps of:

26 (a) confirming that said image source device can control its X resolution;
27 (b) confirming that said image source device can control its Y resolution; and
28 (c) confirming that the user interface of said image source device can be bypassed,
29 wherein an affirmative answer to all of the steps of confirming indicates that said image source
30 device can perform the automatic image scan.

1 14. (Original) The method of claim 12, wherein the step of determining if said image source
2 device can perform the automatic image scan comprises the steps of:

3 (a) setting an error flag;
4 (b) attempting to perform an automatic image scan;
5 (c) clearing the error flag if the automatic image scan is successful; and
6 (d) evaluating the error flag during a subsequent use of the image source device,
7 whereby if the error flag has not been cleared, the image source device cannot perform an automatic
8 image scan.

9 15. (Original) The method of claim 12, wherein if it is determined that said image source
10 device can perform an automatic image scan, enabling a user of the application program to
11 selectively cause the image to be acquired and the data representing the image to be inserted into the
12 document, all with a single user control selection.

13 16. (Original) A computer-readable medium having computer-executable instructions for
14 performing the steps recited in claim 1.

15 17. (Original) A computer-readable medium having computer-executable instructions for
16 performing the steps recited in claim 12.

17 18. (Previously Presented) A method for inserting a plurality of images into a document
18 stored in a memory of a computer, comprising the steps of:

19 (a) enabling an image source device user interface from within an application
20 program used to create a text content of the document, wherein the application program is running on
21 the computer that is in communication with an image source device, said image source device
22 acquiring multiple images and storing image source data representing the multiple images, wherein
23 the image source device user interface provides a selection scheme within the application program for
24 selecting a plurality of the images stored in the image source device for insertion into the document;

25 (b) enabling a user to use the selection scheme of the image source device user
26 interface from within the application program to select the plurality of images to be inserted into the
27 document;

28 (c) transferring data representing the images selected from the image source
29 device, to the memory of the computer;

30 ///

1 (d) converting said data representing the selected image into a compressed format
2 unless said data are already in the compressed format; and

3 (e) inserting said image data in the compressed format into the document stored in
4 the memory of a computer so that the document includes the plurality of images without saving said
5 image data in the compressed format to any permanent file prior to inserting the image data in the
6 compressed format into the document stored in the memory of the computer.

7 19. (Original) The method of claim 18, wherein the application program is a word
8 processing application, and the plurality of images are inserted into the document as a plurality of
9 tiled images.

10 20. (Original) The method of claim 18, wherein the application program is a spreadsheet
11 application that produces a spreadsheet document, and the plurality of inserted images are inserted
12 into the spreadsheet document as a plurality of cascaded images.

13 21. (Original) The method of claim 18, wherein the application program is a presentation
14 design application, and the plurality of inserted images are inserted into a presentation document as a
15 plurality of individual slides.

16 22. (Previously Presented) The method of claim 18, further including the step of performing
17 a postprocessing modification to said data from within the application program to enhance a quality
18 of the plurality of images.

19 23. (Original) A computer-readable medium having computer-executable instructions for
20 performing the steps recited in claim 18.

21 24. (Previously Presented) A system for inserting an image into a document, comprising:

22 (a) a computer having a memory and a processor, the memory storing:

23 (i) machine instructions that are executable on the processor; and

24 (ii) the document;

25 (b) an application program comprising the machine instructions that are stored in
26 the memory, a text content of said document being editable using the application program;

27 (c) an image acquisition device connected in communication with the computer, to
28 provide image data representing an image to the computer;

29 (d) a source driver module comprising computer-executable instructions stored in
30 the memory and in communication with the image acquisition device so as to control acquisition of

1 an image by the image acquisition device for transfer as the image data, into the memory of the
2 computer;

3 (e) a source manager module comprising computer-executable instructions stored
4 in the memory and in communication with the source driver module, the source manager module
5 providing commands to the source driver module to acquire an image using the image acquisition
6 device; and

7 (f) an interface module comprising computer-executable instructions stored in the
8 memory and in communication with the source manager module and under control of the application
9 program, the interface module providing commands to the source manager to acquire an image using
10 the image acquisition device, the interface module inserting the image data representing the image
11 into the document that is stored in the memory of a computer without saving said image data to any
12 permanent file prior to inserting the image data into the document stored in the memory of the
13 computer.

14 25. (Original) The system of claim 24, wherein the application program is a word processing
15 application.

16 26. (Original) The system of claim 24, wherein the application program is a spreadsheet
17 application.

18 27. (Original) The system of claim 24, wherein the application program is a presentation
19 design application.

20 28. (Original) The system of claim 24, wherein the source manager module complies with
21 the TWAIN communication specification.

22 29. (Original) The system of claim 24, wherein the application program is able to request the
23 interface module to acquire an image by issuing a single procedure call to the interface module.

24 30. (Original) The system of claim 24, wherein the application program provides a user
25 interface that enables a user to acquire an image from the image acquisition device and insert the data
26 representing the image into the application program document by selecting a single application menu
27 option and performing a single subsequent user action.

28 ///

29 ///

30 ///

1 31. (Previously Presented) The system of claim 24, wherein the interface module comprises
2 additional computer-executable instructions for enhancing the quality of the captured image from
3 within the application program, the captured image quality being enhanced prior to inserting the data
4 representing the image into the application program document.

5 32. (Original) The system of claim 24, wherein the image is acquired by scanning a graphic
6 source that has edges, and the interface module comprises additional computer-executable
7 instructions for detecting the edges of the graphic source so as to automatically crop a scanned field
8 to include only the portion of the scanned field included within the graphic source in the image, the
9 image being so cropped prior to the data representing the image being inserted into the document.

10 33. (Original) The system of claim 24, wherein the interface module comprises additional
11 computer-executable instructions for converting the data representing the image into a compressed
12 format, said data being converted into the compressed format prior to being inserted into the
13 document.
